

ENELTEC[®]

brighten your ideas

LED Bulbs




Specifications:

- Power: 3-18W
- Beam Angle: 120°
- Voltage: 85-265VAC
- Socket: E14/E27/B22
- Color: 2800-3200K / 4000-4500K / 6000-6500K
- Operating temperature: -20 to + 45°C
- Material: Aluminum + PC
- Light Degradation: < 5% in 20,000 hours



Dimensions:



Model No.	Product Dimension (mm)	
	A	B
ENBL-3WSMD-01	50	100
ENBL-5WSMD-01	60	110
ENBL-7WSMD-01	60	114
ENBL-9WSMD-01	60	134
ENBL-12WSMD-01	70	168
ENBL-15WSMD-01	96.5	161
ENBL-18WSMD-01	96.5	181

Applications:

High power LED bulbs are designed for use in supermarkets, jeweller's shops, advertisement box, office building, or for direct replacement of conventional lamps.

Features and advantages:

- Direct replacement of conventional lamps
- LED life of 50,000 hours continuous work
- No hazard of mercury or lead entering the environment
- Solid-state, shock and vibration resistant light sources runs on
- Major reduction in power costs, maintenance free
- Generate little heat
- No fluorescent flickering
- No danger of broken glass
- External power supply with high power factor & low harmonic current

Data:

Model	ENBL-3WSMD-01	ENBL-5WSMD-01	ENBL-7WSMD-01	ENBL-9WSMD-01	ENBL-12WSMD-01	ENBL-15WSMD-01	ENBL-18WSMD-01
Input Voltage	85-265VAC						
Frequency	50-60Hz						
Power (W)	3	5	7	9	12	15	18
LED	Sanan 5630						
PF	>0.6						
Base	E14/E27/B22		E27/B22	E27			
Color Temperature	2800-3200K / 4000-4500K / 6000-6500K						
Beam Angle	120°						
Operation Temperature	-20℃~+45℃						
CRI	>80						
Lumen (lm)	300	450	630	810	1000	1400	1650
Material	Aluminum + PC						
Packing Dimension (mm)	180pcs 300×400×530	96pcs 300×400×530	96pcs 300×400×530	80pcs 300×400×530	80pcs 300×400×530	30pcs 300×400×530	30pcs 300×400×530
Net Weight/ Gross Weight (Kgs)	180pcs 13.5/15.0	96pcs 9.9/11.0	96pcs 11.3/12.5	80pcs 20.7/23.0	80pcs 21.6/24.0	30pcs 15.3/17.0	30pcs 18.0/20.0